Author Index

ABE K. *see* ONOE Y.
ÁGUAS A.P. *see* MARTINS T.C.
AGUI T. *see* SAKAI T.
AJUEBOR M.N., VIRÁG L., FLOWER R.J., PERETTI M. & SZABÓ C. Role of inducible nitric oxide synthase in the regulation of neutrophil migration in zymosan-induced inflammation, 625
AKIMOTO H., KANEKO H., SEKIGAWA I., HASHIMOTO H., KANEKO Y. & YAMAMOTO N. Binding of HIV-2 envelope glycoprotein to CD8 molecules and related chemokine production, 214
ALA-KOKKO L. *see* MYERS L.K.
AL-AOUKATY A., ROLSTAD B., GIAID A. & MAGHAZACHI A.A. MIP-3α, MIP-3β and fractalkine induce the locomotion and the mobilization of intracellular calcium, and activate the heterotrimeric G proteins in human natural killer cells, 618
AL-NAKHLI S.A. *see* HERNANDEZ-PANDO R.
ALVAREZ-DOMÍNGUEZ C. *see* CARRASCO-MARÍN E.
AMETANI A. *see* SHIMODA M.
AMPOFO W. *see* HORIUCHI S.
AN N.-H. *see* KIM H.-M.
ANDERSEN P. *see* PAIS T.F.
AOYAGI T. *see* KAWAKAMI A.
APPELBERG R. *see* GOMES M.S.
see also PAIS T.F.
ARRIAGA K. *see* HERNANDEZ-PANDO R.
ASKENASE P.W. *see* SZCZEPANIK M.
AVAKIAN A. *see* JEURISSEN S.H.M.
AZUMA H. *see* WANG J.-D.
AZUMA N. *see* SHIMODA M.

BADOVINAC V., BOGGIANO C., TRAJKOVIĆ V., FREY A.B., VUJANOVIĆ N.L., GOLD D.P., MOSTARICA-STOJKOVIĆ M. & VUKMANOVIĆ S. Rat NKR-P1$^+$ CD3$^+$ T cells: selective proliferation in interleukin-2, diverse T-cell-receptor-Vβ repertoire and polarized interferon-γ expression, 117
BAELDE H.J. *see* SUTMULLER M.
BAIRD M.A. *see* DILLON S.M.
BANAS J.A. *see* PLITNICK L.M.
BARAZZONE C. *see* PIGUET P.F.
BARBOZA M. *see* JANCIC C.
BAXTER A.G. *see* HORSFALL A.C.
BEHM C.A. *see* OVINGTON K.S.
BERTHELEMY M. *see* CHEVALLIER N.
BERTRANDI E. *see* DI SABATINO A.
BIANCHI A.T.J. *see* ŠINKORA J.
BIKOFF E.K. *see* WRIGHT R.J.
BISHOP G.A. *see* ROKAHR K.L.
BOACKLE R.J. *see* CHEN C.-H.
BODO M. *see* MYERS L.K.
BOERMAN O.C. *see* NETEA M.G.
BOGGIANO C. *see* BADOVINAC V.
BÖHME J. *see* BRENDEN N.
BRAND D.D. *see* MYERS L.K.
BRANDTZAEG P. *see* VAERMAN J.P.
BRASS D. *see* LESHEM B.
BRENDEN N & BÖHME J. Disease-protected major histocompatibility complex Ea-transgenic non-obese diabetic (NOD) mice show interleukin-4 production not seen in susceptible Ea-transgenic and non-transgenic NOD mice, 1
BRETT S.J. *see* ROWAN W.
BROWN W.C. *see* ESTES D.M.
BRUIJN J.A. *see* SUTMULLER M.
BUTLER D.M. *see* WALMSLEY M.

CAI S. *see* GHIASI H.
CAO X., ZHAO Y., YU Y., WANG Y., ZHANG M., ZHANG W. & WANG J. Granulocyte–macrophage colony-stimulating factor induces the differentiation of murine erythroleukaemia cells into dendritic cells, 141
CARRASCO-MARÍN E., PAZ-MIGUEL J.E., LÓPEZ-MATO P., ALVAREZ-DOMÍNGUEZ C. & LEYVA-COBIÁN F. Oxidation of defined antigens allows protein unfolding and increases both proteolytic processing and exposes peptide epitopes which are recognized by specific T cells, 314
CARVALHO A.F. *see* SATO M.N.
CASALINUOVO I.A. *see* FALCHETTI R.
CHEN C.-H., LAM C.F. & BOACKLE R.J. C1 inhibitor removes the entire $C1qr_2s_2$ complex from anti-C1Q monoclonal antibodies with low binding affinities, 648
CHEVALLIER N., BERTHELEMY M., LAINÉ V., LE RHUN D., FÉMÉNIA F., POLACK B., NAESSENS J., LEVY D. & SCHWARTZ-CORNIL I. B-1-like cells exist in sheep. Characterization of their phenotype and behaviour, 178
CHIBA K. *see* YANAGAWA Y.
CHOU D.-L. *see* FENG M.-H.L.
CHRISTIAN T. *see* PLITNICK L.M.
CHULUYAN H.E. *see* JANCIC C.
CHUNG C.-K. *see* KIM H.-M.
CLAVREUL A., D'HELLENCOURT C.L., MONTERO-MENEI C., POTRON G. & COUEZ D. Vitamin D differentially regulates B7.1 and B7.2 expression on human peripheral blood monocytes, 272
CORAZZA G.R. *see* DI SABATINO A.
COUEZ D. *see* CLAVREUL A.
CREMER M.A. *see* MYERS L.K.
CUKROWSKA B. *see* ŠINKORA J.

D'HELLENCOURT C.L. *see* CLAVREUL A.
D'ORAZIO T.J. & NIEDERKORN J. Y. Splenic B cells are required for tolerogenic antigen presentation in the induction of anterior chamber-associated immune deviation (ACAID), 47
DALAI S.K., MIRIYALA B. & KAR S. K. Interleukin-1β partially alleviates cyclosporin A-induced suppression of IgG1 isotype response to thyroglobulin in BALB/c mice *in vivo*, 83
DANNECKER G.E. *see* ORLIKOWSKY T.
DE GEUS B. *see* ŠINKORA J.
DE HEER E. *see* SUTMULLER M.
DE LA LUZ STREBER M. *see* HERNANDEZ-PANDO R.
DEEHAN M.R., KLAUS G.G.B., HOLMAN M.J., HARNETT W. & HARNETT M.M. MAPkinase: a second site of G-protein regulation of B-cell activation via the antigen receptors, 169
DEMACKER P.N.M. *see* NETEA M.G.
DI FRANCESCO P. *see* FALCHETTI R.
DI SABATINO A., BERTRANDI E., MALDINI M.C., PENNESE F., PROIETTI F. & CORAZZA G. R. Phenotyping of peripheral blood lymphocytes in adult coeliac disease, 572
DILLON S.M., GRIFFIN J.F.T., HART D.N.J., WATSON J.D. & BAIRD M.A. A long-lasting interferon-γ response is induced to a single inoculation of antigen-pulsed dendritic cells, 132
DOHLSTEN M. *see* SUNDSTEDT A.
DONATI Y. *see* PIGUET P.F.
DOWNING J.E.G., VIRAG L. & JONES I.W. NADPH diaphorase-positive dendritic profiles in rat thymus are discrete from autofluorescent cells, immunoreactive for inducible nitric oxide synthase, and show strain-specific abundance differences, 148
DUARTE A.J.S. *see* SATO M.N.
DUDHANE A. *see* ORLIKOWSKY T.

DUNN-WALTERS D.K. & SPENCER J. Strong intrinsic biases towards mutation and conservation of bases in human IgV_H genes during somatic hypermutation prevent statistical analysis of antigen selection, 339

EGUCHI K. *see* KAWAKAMI A.
EMMANUILIDIS K. *see* NEUMANN B.
ENDERS G.A. *see* GHORESCHI K.
ESTES D.M., TUO W., BROWN W.C. & GOIN J. Effects of type I/type II interferons and transforming growth factor-β on B-cell differentiation and proliferation. Definition of costimulation and cytokine requirements for immunoglobulin synthesis and expression, 604

FAHLÉN L. *see* KHOO N.K.S.
FAINBOIM L. *see* JANCIC C.
FALCHETTI R., DI FRANCESCO P., LANZILLI G., GAZIANO R., CASALINUOVO I.A., PALAMARA A.T., RAVAGNAN G. & GARACI E. Determination of cytokine co-expression in individual splenic $CD4^+$ and $CD8^+$ T cells from influenza virus-immune mice, 346
FELDMANN M. *see* WALMSLEY M.
FÉMÉNIA F. *see* CHEVALLIER N.
FENG M.-H.L., CHOU D.-L., LIAW Y.-C. & LAI M.-Z. Conserved T-cell receptor class II major histocompatibility complex contact detected in a T-lymphocyte population, 185
FERNANDEZ C. *see* SVERREMARK E.
FIETZEK P. *see* MYERS L.K.
FLOWER R.J. *see* AJUEBOR M.N.
FREY A.B. *see* BADOVINAC V.
FRIEDL P. *see* NIKOLAI G.
FUJIWARA J. *see* SHIMODA M.
FUNAUCHI M. *see* MATSUURA K.
FUSARO A.E. *see* SATO M.N.

GARACI E. *see* FALCHETTI R.
GAZIANO R. *see* FALCHETTI R.
GHIASI H., WECHSLER S.L., CAI S., NESBURN A.B. & HOFMAN F. M. The role of neutralizing antibody and T-helper subtypes in protection and pathogenesis of vaccinated mice following ocular HSV-1 challenge, 352
GHORESCHI K., MUDERS M. & ENDERS G. A. Functional role of CD95 ligand in concanavalin A-induced intestinal intraepithelial lymphocytes cytotoxicity, 566
GIAID A. *see* AL-AOUKATY A.
GIFFROY D. *see* VAERMAN J.P.
GOIN J. *see* ESTES D.M.
GOLD D.P. *see* BADOVINAC V.
GOMES M.S. & APPELBERG R. Evidence for a link between iron metabolism and *Nramp*1 gene function in innate resistance against *Mycobacterium avium*, 165
GOSSELIN E.J. *see* PLITNICK L.M.
GRIFFIN J.F.T. *see* DILLON S.M.
GRUNDSTRÖM S. *see* SUNDSTEDT A.
GUO J. *see* PIGUET P.F.
GUYOT D.J., NEWBOUND G.C. & LAIRMORE M.D. CD2 signalling induces phosphorylation of CREB in primary lymphocytes, 544

HA S.J., LEE S.B., KIM C.M., SHIN H.S. & SUNG Y. C. Rapid recruitment of macrophages in interleukin-12-mediated tumour regression, 156
HADDAD E.E. *see* JEURISSEN S.H.M.
HAN D.S. *see* JOBIN C.
HAN S.-H. *see* YU C.-L
HANNA S.M., WILLIAMS G.T., VAN DEN BERG C.W. & MORGAN B. P. Characterization *in vitro* and *in vivo* of the pig analogue of human CD59 using new monoclonal antibodies, 450
HARADA H. *see* NISHIKAWA F.
HARADA M. *see* ONOE Y.
HARNETT M.M. *see* DEEHAN M.R.
HARNETT W. *see* DEEHAN M.R.
HARRIMAN G.R. *see* PARR M.B.
HART D.N.J. *see* DILLON S.M.
HASHIMOTO H. *see* AKIMOTO H.
HAYASHI R., YAMASHITA N., MATSUI S., MARUYAMA M., SUGIYAMA E., SUGIYAMA S. & KOBAYASHI M. Bradykinin stimulates interleukin-8 production by human lung fibroblasts, 507
HELAAKOSKI T. *see* MYERS L.K.
HERNANDEZ-PANDO R., DE LA LUZ STREBER M., OROZCO H., ARRIAGA K., PAVON L., AL-NAKHLI S.A. & ROOK G. A. W. The effects of androstenediol and dehydroepiandrosterone on the course and cytokine profile of tuberculosis in BALB/c mice, 234
HIMENO K. *see* SAKAI T.
HINKKANEN A.E. *see* MÄÄTTÄ J.A.
HIROMATSU K. *see* NOMURA A.
HISAEDA H. *see* SAKAI T.
HOEFLICK K. *see* SALH B.
HOFFMANN M.K. *see* ORLIKOWSKY T.
HOFMAN F.M. *see* GHIASI H.
HOLMAN M.J. *see* DEEHAN M.R.
HOLZMANN B. *see* NEUMANN B.
HORIUCHI S., AMPOFO W., KOYANAGI Y., YAMASHITA A., WAKI M., MATSUMOTO A., YAMAMOTO M. & YAMAMOTO N. High-level production of alternatively spliced soluble interleukin-6 receptor in serum of patients with adult T-cell leukaemia/HTLV-I-associated myelopathy, 360
HORSFALL A.C., HOWSON R., SILVEIRA P., WILLIAMS D.G. & BAXTER A. G. Characterization and specificity of B-cell responses in lupus induced by *Mycobacterium bovis* in NOD/Lt mice, 8
HOWSON R. *see* HORSFALL A.C.
HUANG D.-F. *see* YU C.-L
HUANG W. & KOLLER L. D. Superantigen activation and kinetics of cytokines in the Long–Evans rat, 331

ICHIMARU N. *see* WANG J.-D.
IKOMA S. *see* MATSUURA K.
INOUE Y. *see* SHIMODA M.
ISHIZAKA S., KIMOTO M., KANDA S. & SAITO S. Augmentation of natural killer cell activity in mice by oral administration of transforming growth factor-β, 460
ISOBE M. *see* TAKAMOTO M.
IVANYI J. *see* WILKINSON R.J.

JANCIC C., CHULUYAN H.E., MORELLI A., LARREGINA A., KOLKOWSKI E., SARACCO M., BARBOZA M., LEIVA W.S. & FAINBOIM L. Interactions of dendritic cells with fibronectin and endothelial cells, 283
JANG J.-J. *see* LEE W.-H.
JANSE E.M. *see* JEURISSEN S.H.M.
JELLEY-GIBBS D.M. *see* PLITNICK L.M.
JEURISSEN S.H.M., JANSE E.M., LEHRBACH P.R., HADDAD E.E., AVAKIAN A. & WHITFILL C. E. The working mechanism of an immune complex vaccine that protects chickens against infectious bursal disease, 494
JIANG Z. *see* PATEL J.A.
JOBIN C., MORTEAU O., HAN D.S. & SARTOR R. B. Specific NF-κB blockade selectively inhibits tumour necrosis factor-α-induced COX-2 but not constitutive COX-1 gene expression in HT-29 cells, 537
JONES I.W. *see* DOWNING J.E.G.

KAICHUN W. *see* SAKAI T.
KÄLDMAN M.S. *see* MÄÄTTÄ J.A.
KANDA S. *see* ISHIZAKA S.
KANEKO H. *see* AKIMOTO H.
KANG A.H. *see* MYERS L.K.
KANNO C. *see* SHIMODA M.
KAR S.K. *see* DALAI S.K.
KATSURA Y. *see* TAKAYAMA E.
KAWABE Y. *see* KAWAKAMI A.
KAWAKAMI A., MATSUOKA N., TSUBOI M., URAYAMA S., NAKASHIMA T., KAWABE Y., KOJI T., AOYAGI T., MAEDA K. & EGUCHI K. $CD4^+$ T-cell-mediated cytotoxicity against staphylococcal enterotoxin B-pulsed synovial cells, 38

KHOO N.K.S., FAHLÉN L. & SENTMAN C. L. Modulation of Ly49A receptors on mature cells to changes in major histocompatibility complex class I molecules, 126
KIM C.M. *see* HA S.J.
KIM H.-M., LEE E.-H., SHIN T.-K., CHUNG C.-K. & AN N.-H. Inhibition of the induction of the inducible nitric oxide synthase in murine brain microglial cells by sodium salicylate, 389
KIM J.-I. *see* LEE W.-H.
KIM S.-H. *see* LEE W.-H.
KIMOTO M. *see* ISHIZAKA S.
see also MINE M.
KINA T. *see* TAKAYAMA E.
KISHIHARA K. *see* NOMURA A.
KITA E. *see* NISHIKAWA F.
KITA M. *see* NISHIKAWA F.
KIVIRIKKO K. *see* MYERS L.K.
KLAUS G.G.B. *see* DEEHAN M.R.
KOARADA S. *see* MINE M.
KOBAYASHI K. *see* VAERMAN J.P.
KOBAYASHI M. *see* HAYASHI R.
KOBAYASHI N. *see* MUKASA A.
KOJI T. *see* KAWAKAMI A.
KOKADO Y. *see* WANG J.-D.
KOLKOWSKI E. *see* JANCIC C.
KOLLER L.D. *see* HUANG W.
KOYANAGI Y. *see* HORIUCHI S.
KREUGER M.R., TAMES D.R. & MARIANO M. Expression of NO-synthase in cells of foreign-body and BCG-induced granulomata in mice: influence of L-NAME on the evolution of the lesion, 278
KULLBERG B.J. *see* NETEA M.G.
KUNIMOTO M. *see* PATEL J.A.
KURISAKI J.-I. *see* SHIMODA M.
KWAN W. *see* SALH B.

LAI M.-Z. *see* FENG M.-H.L.
LAINÉ V. *see* CHEVALLIER N.
LAIRMORE M.D. *see* GUYOT D.J.
LALVANI A. *see* WILKINSON R.J.
LAM C.F. *see* CHEN C.-H.
LANGENDRIES A. *see* VAERMAN J.P.
LANZILLI G. *see* FALCHETTI R.
LARREGINA A. *see* JANCIC C.
LE RHUN D. *see* CHEVALLIER N.
LEE E.-H. *see* KIM H.-M.
LEE S.B. *see* HA S.J.
LEE W.-H., PARK Y.-M., KIM J.-I., PARK W.-Y., KIM S.-H., JANG J.-J. & SEO J.-S. Expression of heat shock protein 70 blocks thymic differentiation of T cells in transgenic mice, 559
LEHRBACH P.R. *see* JEURISSEN S.H.M.
LEIVA W.S. *see* JANCIC C.
LESHEM B. & BRASS D. Mouse lymphoblasts lose their immunogenicity and susceptibility to specific cytotoxic T lymphocyte lysis during maintenance in culture, 409
LEVY D. *see* CHEVALLIER N.
LEYVA-COBIÁN F. *see* CARRASCO-MARÍN E.
LI B.-S. *see* WANG J.-D.
LI T. *see* ONOE Y.
LIAW Y.-C. *see* FENG M.-H.L.
LIU J. & WOLF B. Co-existence of somatic hypermutation and gene conversion in hypervariable regions of single Igκ clones, 291
LÓPEZ-MATO P. *see* CARRASCO-MARÍN E.

MÄÄTTÄ J.A., KÄLDMAN M.S., SAKODA S., SALMI A.A. & HINKKANEN A. E. Encephalitogenicity of myelin-associated oligodendrocytic basic protein and 2′,3′-cyclic nucleotide 3′-phosphodiesterase for BALB/c and SJL mice, 383
MACIEL JR M. *see* SATO M.N.
MAEDA K. *see* KAWAKAMI A.
MAGHAZACHI A.A. *see* AL-AOUKATY A.
MALDINI M.C. *see* DI SABATINO A.
MARIANO M. *see* KREUGER M.R.
MARINOVA-MUTAFCHIEVA L. *see* WALMSLEY M.
MARTINS T.C. & ÁGUAS A. P. Involvement of *c-myc* in the resistance of non-obese diabetic (NOD) mice to glucocorticoid-induced apoptosis, 377
MARUYAMA M. *see* HAYASHI R.
MASUBUCHI Y. *see* YANAGAWA Y.
MATSUI S. *see* HAYASHI R.
MATSUMIYA K. *see* WANG J.-D.
MATSUMOTO A. *see* HORIUCHI S.
MATSUMOTO K. *see* SAKAI T.
MATSUO S. *see* NISHIKAWA K.
MATSUOKA N. *see* KAWAKAMI A.
MATSUURA K., IKOMA S., SUGIYAMA M., FUNAUCHI M. & SINOHARA H. Amidolytic and peptidolytic activities of immunoglobulin G present in sera from patients with rheumatoid arthritis, Sjogren's syndrome and systemic lupus erythematosus, 26
MATSUZAKI G. *see* MUKASA A.
see also NOMURA A.
MATSUZAWA A. *see* TAKAMOTO M.
MATTHAEI K.I. *see* OVINGTON K.S.
MCCAUGHAN G.W. *see* ROKAHR K.L.
MCKIE K. *see* OVINGTON K.S.
MIKI T. *see* WANG J.-D.
MINE M., KOARADA S., SAI T., MIYAKE K. & KIMOTO M. Peptide-binding motifs of the mixed haplotype $A\beta^z/A\alpha^d$ major histocompatibility complex class II molecule: a restriction element for auto-reactive T cells in $(NZB \times NZW)F_1$ mice, 577
MIRIYALA B. *see* DALAI S.K.
MISRA R.S. *see* SREENIVASAN P.
MITTLER R. *see* ORLIKOWSKY T.
MIYAKE K. *see* MINE M.
MONTERO-MENEI C. *see* CLAVREUL A.
MORELLI A. *see* JANCIC C.
MORGAN B.P. *see* HANNA S.M.
MORTEAU O. *see* JOBIN C.
MOSTARICA-STOJKOVIĆ M. *see* BADOVINAC V.
MUDERS M. *see* GHORESCHI K.
MUDZINSKI S.P. *see* PLITNICK L.M.
MUKASA A., YOSHIDA H., KOBAYASHI N., MATSUZAKI G. & NOMOTO K. γδ T cells in infection-induced and autoimmune-induced testicular inflammation, 395
MYERS L.K., BRAND D.D., YE X.J., CREMER M.A., ROSLONIEC E.F., BODO M., MYLLYHARJU J., HELAAKOSKI T., NOKELAINEN M., PIHLAJANIEMI T., KIVIRIKKO K., YANG C.L., ALA-KOKKO L., PROCKOP D.J., NOTBOHM H., FIETZEK P., STUART J.M. & KANG A. H. Characterization of recombinant type II collagen: arthritogenicity and tolerogenicity in DBA/1 mice, 631
MYLLYHARJU J. *see* MYERS L.K.

NABESHIMA S. *see* NOMURA A.
NAESSENS J. *see* CHEVALLIER N.
NAGASAWA H. *see* SAKAI T.
NAKAJIMA N. *see* PATEL J.A.
NAKAMURA T. *see* NOMURA A.
NAKASHIMA T. *see* KAWAKAMI A.
NARIUCHI H. *see* TAKAMOTO M.
NATH I. *see* SREENIVASAN P.
NEMOTO K. *see* ODAKA C.
NESBURN A.B. *see* GHIASI H.
NETEA M.G., DEMACKER P.N.M., KULLBERG B.J., BOERMAN O.C., VERSCHUEREN I., STALENHOEF A.F.H. & VAN DER MEER J. W. M. Increased interleukin-1α and interleukin-1β production by macrophages of low-density lipoprotein receptor knock-out mice stimulated with lipopolysaccharide is CD11c/CD18-receptor mediated, 466
NEUMANN B., EMMANUILIDIS K., STADLER M. & HOLZMANN B. Distinct functions of interferon-γ for chemokine expression in models of acute lung inflammation, 512
NEWBOUND G.C. *see* GUYOT D.J.
NIEDERKORN J.Y. *see* D'ORAZIO T.J.
NIETHAMMER D. *see* ORLIKOWSKY T.
NIGGEMANN B. *see* NIKOLAI G.
NIKOLAI G., NIGGEMANN B., WERNER M., ZÄNKER K.S. & FRIEDL P. Direct and rapid induction of migration in human

CD4$^+$ T lymphocytes within three-dimensional collagen matrices mediated by signalling via CD3 and/or CD2, 62
NISHIKAWA F., YOSHIKAWA S., HARADA H., KITA M. & KITA E. The full expression of the *Ity* phenotype in *Ity^r* mice requires C3 activation by *Salmonella* lipopolysaccharide, 640
NISHIKAWA K., MATSUO S., TAMAI H., OKADA N. & OKADA H. Tissue distribution of the guinea-pig decay-accelerating factor, 302
NISIZAWA T. *see* SENPUKU H.
NOKELAINEN M. *see* MYERS L.K.
NOMOTO K. *see* MUKASA A.
see also NOMURA A.; ONOE Y.
NOMURA A., MATSUZAKI G., TAKADA H., HIROMATSU K., NABESHIMA S., NAKAMURA T., KISHIHARA K. & NOMOTO K. The role of γδ T cells in induction of bacterial antigen-specific protective CD8$^+$ cytotoxic T cells in immune response against the intracellular bacteria *Listeria monocytogenes*, 226
NONOMURA N. *see* WANG J.-D.
NOTBOHM H. *see* MYERS L.K.
NOWAK B. *see* SZCZEPANIK M.

O'NEIL J. *see* PLITNICK L.M.
ODAKA C., TOYODA E. & NEMOTO K. Immunosuppressant deoxyspergualin induces apoptotic cell death in dividing cells, 370
OKA M. *see* SAKAI T.
OKADA H. *see* NISHIKAWA K.
OKUYAMA A. *see* WANG J.-D.
ONOE Y., HARADA M., TAMADA K., ABE K., LI T., TADA H. & NOMOTO K. Involvement of both donor cytotoxic T lymphocytes and host NK1.1$^+$ T cells in the thymic atrophy of mice suffering from acute graft-versus-host disease, 248
ORLIKOWSKY T., WANG Z.-Q., DUDHANE A., MITTLER R., TREJO V., DANNECKER G.E., NIETHAMMER D. & HOFFMANN M. K. Elevated major histocompatibility complex class I expression protects T cells from antibody- and macrophage-mediated deletion, 437
OROZCO H. *see* HERNANDEZ-PANDO R.
OUELLETTE S. *see* SUTMULLER M.
OVINGTON K.S., MCKIE K., MATTHAEI K.I., YOUNG I.G. & BEHM C. A. Regulation of primary *Strongyloides ratti* infections in mice: a role for interleukin-5, 488

PAIS T.F., SILVA R.A., SMEDEGAARD B., APPELBERG R. & ANDERSEN P. Analysis of T cells recruited during delayed-type hypersensitivity to purified protein derivative (PPD) versus challenge with tuberculosis infection, 69
PALAMARA A.T. *see* FALCHETTI R.
PARK W.-Y. *see* LEE W.-H.
PARK Y.-M. *see* LEE W.-H.
PARKHOUSE R.M.E. *see* ŠINKORA M.
PARR E.L. *see* PARR M.B.
PARR M.B., HARRIMAN G.R. & PARR E. L. Immunity to vaginal HSV-2 infection in immunoglobulin A knockout mice, 208
PARVEEN S. *see* WHEELER D.J.
PASVOL G. *see* WILKINSON R.J.
PATEL J.A., JIANG Z., NAKAJIMA N. & KUNIMOTO M. Autocrine regulation of interleukin-8 by interleukin-1α in respiratory syncytial virus-infected pulmonary epithelial cells *in vitro*, 501
PAVON L. *see* HERNANDEZ-PANDO R.
PAZ-MIGUEL J.E. *see* CARRASCO-MARÍN E.
PELECH S. *see* SALH B.
PENNESE F. *see* DI SABATINO A.
PERETTI M. *see* AJUEBOR M.N.
PIGUET P.F., VESIN C., GUO J., DONATI Y. & BARAZZONE C. Role of mast cells and monoamines in the thrombocytopaenia and morality elicited by tumour necrosis factor in mice, 111
PIHLAJANIEMI T. *see* MYERS L.K.
PLITNICK L.M., BANAS J.A., JELLEY-GIBBS D.M., O'NEIL J., CHRISTIAN T., MUDZINSKI S.P. & GOSSELIN E. J. Inhibition of interleukin-2 by a Gram-positive bacterium, *Streptococcus mutans*, 522
POLACK B. *see* CHEVALLIER N.
POLLOCK K. *see* WHEELER D.J.
POTRON G. *see* CLAVREUL A.
PROCKOP D.J. *see* MYERS L.K.
PROIETTI F. *see* DI SABATINO A.
PTAK W. *see* SZCZEPANIK M.

RAMSINGH A.I. *see* WICHER V.
RAVAGNAN G. *see* FALCHETTI R.
ŘEHÁKOVÁ Z. *see* ŠINKORA J.
see also ŠINKORA M.
RITZENTHALER J. & ROMAN J. Differential effects of protein kinase C inhibitors on fibronectin-induced interleukin-β gene transcription, protein synthesis and secretion in human monocytic cells, 264
ROKAHR K.L., SHARLAND A.F., SUN J., WANG C., SHEIL A.G.R., YAN Y., MCCAUGHAN G.W. & BISHOP G. A. Paradoxical early immune activation during acceptance of liver allografts compared with rejection of skin grafts in a rat model of transplantation, 257
ROLSTAD B. *see* AL-AOUKATY A.
ROMAN J. *see* RITZENTHALER J.
ROOK G.A.W. *see* HERNANDEZ-PANDO R.
ROSLONIEC E.F. *see* MYERS L.K.
ROWAN W., TITE J., TOPLEY P. & BRETT S. J. Cross-linking of the CAMPATH-1 antigen (CD52) mediates growth inhibition in human B- and T-lymphoma cell lines, and subsequent emergence of CD52-deficient cells, 427

SAI T. *see* MINE M.
SAITO S. *see* ISHIZAKA S.
SAKAI T., AGUI T., KAICHUN W., OKA M., HISAEDA H., NAGASAWA H., HIMENO K. & MATSUMOTO K. Unresponsiveness of CD4$^-$8$^{+/-}$ thymocytes to lectin stimulation in LEC mutant rats, 219
SAKODA S. *see* MÄÄTTÄ J.A.
SALH B., HOEFLICK K., KWAN W. & PELECH S. Granulocyte–macrophage colony-stimulating factor and interleukin-3 potentiate interferon-γ-mediated endothelin production by human monocytes: role of protein kinase C, 473
SALMI A.A. *see* MÄÄTTÄ J.A.
SARACCO M. *see* JANCIC C.
SARTOR R.B. *see* JOBIN C.
SATO M.N., CARVALHO A.F., SILVA A.O., MACIEL M. JR, FUSARO A.E. & DUARTE A. J. S. Oral tolerance induced to house dust mite extract in naive and sensitized mice: evaluation of immunoglobulin G anti-immunoglobulin E autoantibodies and IgG–IgE complexes, 193
SCAROZZA A.M. *see* WICHER V.
SCHWARTZ-CORNIL I. *see* CHEVALLIER N.
SEKIGAWA I. *see* AKIMOTO H.
SENPUKU H., YANAGI K. & NISIZAWA T. Identification of *Streptococcus mutans* PAc peptide motif binding with human MHC class II molecules (*DRB1*0802, *1101, *1401* and **1405*), 322
SENTMAN C.L. *see* KHOO N.K.S.
SEO J.-S. *see* LEE W.-H.
SHARLAND A.F. *see* ROKAHR K.L.
SHEIL A.G.R. *see* ROKAHR K.L.
SHIMODA M., INOUE Y., AMETANI A., FUJIWARA J., TSUJI N.M., KURISAKI J.-I., AZUMA N. & KANNO C. Anti-DNA IgA autoantibodies are spontaneously generated in mouse Peyer's patches, 200
SHIN H.S. *see* HA S.J.
SHIN T.-K. *see* KIM H.-M.
SILVA A.O. *see* SATO M.N.
SILVA R.A. *see* PAIS T.F.
SILVEIRA P. *see* HORSFALL A.C.
ŠINKORA J. ŘEHÁKOVÁ Z., ŠINKORA M. CUKROWSKA B., TLASKALOVÁ-HOGENOVÁ H. BIANCHI A.T.J. & DE GEUS B. Expression of CD2 on porcine B lymphocytes, 443
ŠINKORA J. *see* ŠINKORA M.
ŠINKORA M., ŠINKORA J., ŘEHÁKOVÁ Z., ŠPLÍCHAL I., YANG H., PARKHOUSE R.M.E. & TREBICHAVSKÝ I. Prenatal ontogeny of lymphocyte subpopulation in pigs, 595
ŠINKORA M. *see* ŠINKORA J.

SINOHARA H. *see* MATSUURA K.
SMEDEGAARD B. *see* PAIS T.F.
SPENCER J. *see* DUNN-WALTERS D.K.
ŠPLÍCHAL I. *see* ŠINKORA M.
SREENIVASAN P., MISRA R.S., WILFRED D. & NATH I. Lepromatous leprosy patients show T helper 1-like cytokine profile with differential expression of interleukin-10 during type 1 and 2 reactions, 529
STADLER M. *see* NEUMANN B.
STALENHOEF A.F.H. *see* NETEA M.G.
STOCKINGER B. *see* WRIGHT R.J.
STUART J.M. *see* MYERS L.K.
SUGANE K. *see* TAKAMOTO M.
SUGIYAMA E. *see* HAYASHI R.
SUGIYAMA M. *see* MATSUURA K.
SUGIYAMA S. *see* HAYASHI R.
SUN J. *see* ROKAHR K.L.
SUN K.-H. *see* YU C.-L
SUNDSTEDT A., GRUNDSTRÖM S. & DOHLSTEN M. T cell- and perforin-dependent depletion of B cells *in vivo* by staphylococcal enterotoxin A, 76
SUNG Y.C. *see* HA S.J.
SUTMULLER M., BAELDE H.J., OUELLETTE S., DE HEER E. & BRUIJN J.A. T-cell receptor Vβ gene expression in experimental lupus nephritis, 18
SUZUKI S. *see* WANG J.-D.
SVERREMARK E. & FERNANDEZ C. Unresponsiveness following immunization with the T-cell-independent antigen dextran B512. Can it be abrogated?, 402
SZABÓ C. *see* AJUEBOR M.N.
SZCZEPANIK M., NOWAK B., ASKENASE P.W. & PTAK W. Cross-talk between γδ T lymphocytes and immune cells in humoral response, 612

TADA H. *see* ONOE Y.
TADAKUMA T. *see* TAKAYAMA E.
TAKADA H. *see* NOMURA A.
TAKAHARA S. *see* WANG J.-D.
TAKAMOTO M., ISOBE M. & SUGANE K. The role of ICAM-1/LFA-1 and VCAM-1/VLA-4 interactions on T helper 2 cytokine production by lung T cells of *Toxocara canis*-infected mice, 419
TAKAMOTO M., WANG Z.-X., WATANABE N., MATSUZAWA A., NARIUCHI H. & SUGANE K. Eosinophilia, IgE production, and cytokine production by lung T cells in surface CD4-deficient mutant mice infected with *Toxocara canis*, 97
TAKAYAMA E., KINA T., KATSURA Y. & TADAKUMA T. Enhancement of activation-induced cell death by fibronectin in murine $CD4^+$ $CD8^+$ thymocytes, 553
TAMADA K. *see* ONOE Y.
TAMAI H. *see* NISHIKAWA K.
TAMES D.R. *see* KREUGER M.R.
TITE J. *see* ROWAN W.
TLASKALOVÁ-HOGENOVÁ H. *see* ŠINKORA J.
TOPLEY P. *see* ROWAN W.
TOYODA E. *see* ODAKA C.
TRAJKOVIĆ V. *see* BADOVINAC V.
TREBICHAVSKÝ I. *see* ŠINKORA M.
TREJO V. *see* ORLIKOWSKY T.
TSAI C.-Y. *see* YU C.-L
TSAI S.-T. *see* YU C.-L
TSAI Y.-Y. *see* YU C.-L
TSUBOI M. *see* KAWAKAMI A.
TSUJI N.M. *see* SHIMODA M.
TUO W. *see* ESTES D.M.

URAYAMA S. *see* KAWAKAMI A.

VAERMAN J.P., LANGENDRIES A., GIFFROY D., BRANDTZAEG P. & KOBAYASHI K. Lack of SC/pIgR-mediated epithelial transport of a human polymeric IgA devoid of J chain: *in vitro* and *in vivo* studies, 90
VAN DEN BERG C.W. *see* HANNA S.M.
VAN DER MEER J.W.M. *see* NETEA M.G.
VERSCHUEREN I. *see* NETEA M.G.
VESIN C. *see* PIGUET P.F.
VIRÁG L. *see* AJUEBOR M.N.
see also DOWNING J.E.G.
VORDERMEIER H.M. *see* WILKINSON R.J.
VUJANOVIĆ N.L. *see* BADOVINAC V.
VUKMANOVIĆ S. *see* BADOVINAC V.

WAKI M. *see* HORIUCHI S.
WALMSLEY M., BUTLER D.M., MARINOVA-MUTAFCHIEVA L. & FELDMANN M. An anti-inflammatory role for interleukin-11 in established murine collagen-induced arthritis, 31
WANG C. *see* ROKAHR K.L.
WANG J. *see* CAO X.
WANG J.-D., NONOMURA N., TAKAHARA S., LI B.-S., AZUMA H., ICHIMARU N., KOKADO Y., MATSUMIYA K., MIKI T., SUZUKI S. & OKUYAMA A. Lymphotactin: a key regulator of lymphocyte trafficking during acute graft rejection, 56
WANG Y. *see* CAO X.
WANG Z.-Q. *see* ORLIKOWSKY T.
WANG Z.-X. *see* TAKAMOTO M.
WATANABE N. *see* TAKAMOTO M.
WATSON J.D. *see* DILLON S.M.
WECHSLER S.L. *see* GHIASI H.
WERNER M. *see* NIKOLAI G.
WHEELER D.J., PARVEEN S., POLLOCK K. & WILLIAMS R. J. Inhibition of sCD23 and immunoglobulin E release from human B cells by a metalloproteinase inhibitor, GI 129471, 105
WHITFILL C.E. *see* JEURISSEN S.H.M.
WICHER K. *see* WICHER V.
WICHER V., SCAROZZA A.M., RAMSINGH A.I. & WICHER K. Cytokine gene expression in skin of susceptible guinea-pig infected with *Treponema pallidum*, 242
WILFRED D. *see* SREENIVASAN P.
WILKINSON K.A. *see* WILKINSON R.J.
WILKINSON R.J., ZHU X., WILKINSON K.A., LALVANI A., IVANYI J., PASVOL G. & VORDERMEIER H.M. 38 00 MW antigen-specific major histocompatibility complex class I restricted interferon-γ-secreting $CD8^+$ T cells in healthy contacts of tuberculosis, 585
WILLIAMS D.G. *see* HORSFALL A.C.
WILLIAMS G.T. *see* HANNA S.M.
WILLIAMS R.J. *see* WHEELER D.J.
WOLF B. *see* LIU J.
WRIGHT R.J., BIKOFF E.K. & STOCKINGER B. The Ii41 isoform of invariant chain mediates both positive and negative selection events in T-cell receptor transgenic mice, 309

YAMAMOTO M. *see* HORIUCHI S.
YAMAMOTO N. *see* AKIMOTO H.
see also HORIUCHI S.
YAMASHITA A. *see* HORIUCHI S.
YAMASHITA N. *see* HAYASHI R.
YAN Y. *see* ROKAHR K.L.
YANAGAWA Y., MASUBUCHI Y. & CHIBA K. FTY720, a novel immunosuppressant, induces sequestration of circulating mature lymphocytes by acceleration of lymphocyte homing in rats, III. Increase in frequency of CD62L-positive T cells in Peyer's patches by FTY720-induced lymphocyte homing, 591
YANAGI K. *see* SENPUKU H.
YANG C.L. *see* MYERS L.K.
YANG H. *see* ŠINKORA M.
YE X.J. *see* MYERS L.K.
YOSHIDA H. *see* MUKASA A.
YOSHIKAWA S. *see* NISHIKAWA F.
YOUNG I.G. *see* OVINGTON K.S.
YU C.-L, SUN K.-H., TSAI C.-Y., TSAI Y.-Y., TSAI S.-T., HUANG D.-F., HAN S.-H. & YU H.-S. Expression of Th_1/Th_2 cytokine mRNA in peritoneal exudative polymorphonuclear neutrophils and their effects on mononuclear cell Th_1/Th_2 cytokine production in MRL-*lpr*/*lpr* mice, 480
YU H.-S. *see* YU C.-L
YU Y. *see* CAO X.

ZÄNKER K.S. *see* NIKOLAI G.
ZHANG M. *see* CAO X.
ZHANG W. *see* CAO X.
ZHAO Y. *see* CAO X.
ZHU X. *see* WILKINSON R.J.

Subject Index

Allograft acceptance, liver:
and early immune activation, 257
Antigenicity, T cell:
following oxidation of antigens, 314
Apoptosis:
enhancement by fibronectin, 553
Apoptosis, glucocorticoid induced:
resistance to in non-obese diabetic mice, 377
Autoantibodies, immunoglobulin A, to DNA:
spontaneous generation in Peyer's patches, 200
Autoreactive T cells, in $(NZB \times NZW)F_1$ mice:
restriction element, 577

B cells, human:
inhibition of sCD23 and immunoglobulin E release by metalloproteinase inhibitor, 105
B cells, role in anterior chamber-associated immune deviation, 47
B-1-like cells:
in sheep, 178
B-cell differentiation and proliferation, bovine:
effects of cytokines, 604
B-cell responses:
in lupus in NOD/Lt mice, 8

C1 inhibitor:
removal of $C1qr_2s_2$, 648
Carbohydrate antigen:
secondary immune responses to, 402
CD2, porcine:
expression on B lymphocytes, 443
CD2 signalling:
and phosphorylation of cyclic AMP response element binding protein, 544
CD4-deficient mice, infected with *Toxocara canis*:
responses of lung T cells, 97
$CD8^+$ T-cell response:
to *Mycobacterium tuberculosis* 38 000 MW antigen in *Bacillus tuberculosis* contacts, 585
CD52 cross-linking, in human lymphocytes:
inhibition of growth and emergence of CD52-deficient cells, 427
CD59, porcine analogue:
characterization, 450
CD95 ligand:
in concanavalin A-induced intestinal intraepithelial lymphocyte cytotoxicity, 566
Coeliac disease:
phenotype of peripheral blood lymphocytes, 572
Collagen, type II, recombinant:
immunogenicity of, 631
Complement activation:
role in expression of *Ity*, 640
Cyclo-oxygenase expression, in HT-29 cells:
inhibition by NF-κB blockade, 537
Cytokine co-expression:
in murine influenza, 346
Cytokine gene expression:
in skin during *Treponema pallidum* infection, 242
Cytokine mRNA expression, in polymorphonuclear neutrophils:
effects in MRL-*lpr*/*lpr* mice, 480
Cytokine profile, T helper 1 like:
in lepromatous leprosy, 529
Cytotoxicity, $CD4^+$ T-cell mediated:
against staphylococcal enterotoxin B-pulsed synovial cells, 38

Decay accelerating factor, distribution:
in guinea pigs, 302
Delayed-type hypersensitivity:
to purified protein derivative and tuberculosis, 69
Dendritic cells:
interaction with fibronectin and endothelial cells, 283
Dendritic cells, antigen pulsed:
induction of memory, 132
Deoxyspergualin:
induction of apoptosis, 370

Endothelin:
production by human monocytes, 473

FTY720:
effects on lymphocyte circulation, 591

G protein regulation:
of B-cell activation, 169
Granulocyte–macrophage colony-stimulating factor:
and differentiation of leukaemic cells into dendritic cells, 141

Heat shock protein 70:
role in thymic differentiation of T cells, 559
Herpes simplex virus-2, immunity to:
in immunoglobulin A knockout mice, 208
Human immunodeficiency virus-2 envelope glycoprotein:
binding to CD8, 214

Immune complex vaccine:
against infectious bursal disease of chickens, 494
Immunoglobulin G, in autoimmune sera:
amidolytic and peptidolytic activities, 26
Immunoglobulin variable region genes:
mutations in the absence of selection, 339
Interdigitating cells, rat thymus:
iNOS deficient, 148
Interferon-γ in acute lung inflammation, 512
Interleukin-1 production:
by low-density lipoprotein knock-out macrophages, 466
Interleukin-β:
partial alleviation of cyclosporin A suppression of immunoglobulin G1, 83
Interleukin-2:
inhibition by *Streptococcus mutans*, 522
Interleukin-4:
in susceptible Ea-transgenic non-obese diabetic mice, 1
Interleukin-5:
role in regulation of *Strongyloides ratti*, 488
Interleukin-6 receptor, alternatively spliced:
in adult T-cell leukaemia HTLV-I-associated myelopathy, 360
Interleukin-8, regulation by interleukin-α:
in virus-infected cells, 501
Interleukin-8 production, by human lung fibroblasts:
stimulation by bradykinin, 507
Interleukin-11:
anti-inflammatory role in collagen-induced arthritis, 31
Interleukin-12:
macrophage recruitment by, 156
Invariant chain, Ii41 isoform:
and T-cell maturation, 309

J chain:
role in epithelial transport of human polymeric immunoglobulin A, 90

Lymphoblasts, cultured:
immunogenicity and susceptibility to lysis, 409

Lymphocyte subpopulations:
ontogeny in pigs, 595
Lymphotactin:
regulation of lymphocyte trafficking during graft rejection, 56

Major histocompatibility complex class I:
modulation of Ly49A receptors, 126
Major histocompatibility complex class I expression and
macrophage-mediatedT-cell deletion, 437
Migration of $CD4^+$ T lymphocytes:
induction via CD3 and/or CD2, 62
Myelin-associated oligodendrocytic basic protein:
encephalitogenicity, 383

Natural killer cell activity:
augmentation by orally administered transforming growth
factor-β, 460
Natural killer cells, human:
chemotaxis of, 618
Natural killer T cells, rat:
cytotoxic production, 117
Nitric oxide, inducible:
role in neutrophil migration, 625
Nitric oxide synthase:
in brain microglial cells, 389
Nitric oxide synthase expression, in granulomata:
influence of L-NAME, 278
*Nramp*1 and iron metabolism:
in resistance to *Mycobacterium avium*, 165

Ocular challenge, with herpes simplex virus:
immune response to, 352

Protein kinase C inhibitors:
effects on fibronectin-induced interleukin-β, 264

Somatic hypermutation and gene regulation, 291
Streptococcus mutans:
identification of PAc peptide motif, 322
Superantigen:
T-cell- and perforin-dependent depletion of B cells, 76
Superantigen, rat:
cytokine kinetics of, 331

T helper 2 cytokine production, lung T cells:
role of adhesion molecules, 419
γδ T cells:
and induction of *Listeria monocytogenes*-specific cytotoxic T
cells, 226
in humoral immune responses, 612
in testicular inflammation, 395
T-cell receptor:
major histocompatibility complex interaction, 185
Thymic atrophy, cellular responses:
in graft-versus-host disease, 248
Thymocytes, CD4:
unresponsiveness to mitogens, 219
Tolerance, oral:
to house dust mite extracts, 193
Tuberculosis, pulmonary:
effects of dehydroepiandrosterone derivatives, 234
Tumour necrosis factor-induced thrombocytopaenia:
role of mast cells, 111

Vβ gene expression:
in experimental lupus nephritis, 18
Vitamin D:
differential regulation of B7.1 and B7.2 on human monocytes,
272